



jaga



Energy
SAVERS
LOW-H₂O
TEMPO

€ 2016-2017.EX



Energy
SAVERS
LOW-H₂O

TEMPO

Warm power, simple style

- The benchmark Jaga Energy Saver – always ahead of its time – the classic among the wall radiators.
- Easy to assemble casing featuring the sectional front panel design.
- Compact and practical packaging.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as freestanding model for glazed façades. See page 102.

DBE option for high output from compact sizes at super-low temperatures from 28°C.






TEMPO



DIMENSIONS (in cm)



DELIVERY

Light and easily installed by one person. Delivered flat packed in 2 packages for ease of handling and storage.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit
- air vent elbow (standard) or extended air vent (twin) 1/8" and drain plug 1/2"
- easy to assemble casing

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

COLOUR

Scratch-resistant surface coating with a soft structured, satin gloss finish. High UV resistance.

Standard colour:
white RAL 9010 (101)

CONNECTION


Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)
Ex. TEMW.030 040 10.101/60

High level valve details : see "Connection sets & Valves".



Optional remote controlled valve:
add to the code of the radiator /00.


Ex. TEMW.030 040 10.101/00

For valve set prices see chapter "Connection sets & valves".

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE

€



COLO.SW2.JC.4...

64,80



COLO.SW2.JW.4...

55,30

fill in sleeve coupling code

Precision metal tube 14/1 114

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

Other connections :

See chapter "Connection sets and valves" for all connection options and technical information


ORDERING CODE

code	height	length	type	colour
TEMW . 020	040	10 .	101	

ORDERING CODE WITH DBE

code	height	length	type	colour	Option /DBE
TEMW . 030	060	10 .	101		

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For boost mode: see www.theradiatorfactory.com



Also available as freestanding model for glazed façades. See page 102.

H020 - TEMPO



TEMW.020 LLL TT.101

TEMW.020 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	262	127	111,00	---	---	---	---	---	---	---	---	---
	15	436	212	131,90	---	---	---	---	---	---	---	---	---
	20	613	299	154,00	---	---	---	---	---	---	---	---	---
050	10	328	159	120,60	---	---	---	---	---	---	---	---	---
	15	545	265	145,00	---	---	---	---	---	---	---	---	---
	20	766	373	169,80	---	---	---	---	---	---	---	---	---
060	10	393	191	129,20	---	---	---	---	10	543	326	136	330,40
	15	654	319	156,80	---	---	---	---	15	904	542	226	367,70
	20	919	448	185,50	---	---	---	---	20	1169	701	292	396,40
070	10	459	223	148,40	---	---	---	---	10	609	365	152	349,70
	15	763	372	182,40	---	---	---	---	15	1013	608	253	393,30
	20	1072	522	218,00	---	---	---	---	20	1322	793	331	428,90
080	10	524	255	157,70	---	---	---	---	10	674	404	169	358,90
	15	872	425	195,70	---	---	---	---	15	1122	673	281	406,70
	20	1226	597	235,20	---	---	---	---	20	1476	886	369	446,00
090	10	590	287	167,40	---	---	---	---	10	890	534	223	440,90
	15	981	478	209,20	---	---	---	---	15	1481	889	370	501,90
	20	1379	672	252,50	---	---	---	---	20	1879	1127	470	545,50
100	10	655	318	184,30	---	---	---	---	10	955	573	239	457,70
	15	1090	531	230,80	---	---	---	---	15	1590	954	398	523,40
	20	1532	746	280,80	---	---	---	---	20	2032	1219	508	573,70
110	10	721	350	194,50	---	---	---	---	10	1021	613	255	467,90
	15	1199	584	246,90	---	---	---	---	15	1699	1019	425	539,70
	20	1685	821	299,50	---	---	---	---	20	2185	1311	546	592,40
120	10	786	382	203,60	---	---	---	---	10	1086	652	272	477,20
	15	1308	637	259,40	---	---	---	---	15	1808	1085	452	552,10
	20	1838	895	316,80	---	---	---	---	20	2338	1403	585	609,60
140	10	917	446	228,10	---	---	---	---	10	1217	730	304	501,50
	15	1526	743	291,80	---	---	---	---	15	2026	1216	507	584,80
	20	2145	1045	378,30	---	---	---	---	20	2645	1587	661	671,20
160	10	1048	509	266,00	---	---	---	---	10	1648	989	412	683,90
	15	1744	850	344,90	---	---	---	---	15	2744	1646	686	801,70
	20	2451	1194	448,50	---	---	---	---	20	3451	2071	863	905,20
180	10	1179	573	287,50	---	---	---	---	10	1779	1067	445	705,70
	15	1962	956	375,40	---	---	---	---	15	2962	1777	741	832,20
	20	2758	1343	487,10	---	---	---	---	20	3758	2255	940	944,00
200	10	1310	637	312,10	---	---	---	---	10	1910	1146	478	730,10
	15	2180	1062	429,90	---	---	---	---	15	3180	1908	795	886,60
	20	3064	1493	529,60	---	---	---	---	20	4064	2438	1016	986,30
220	10	1441	700	356,80	---	---	---	---	10	2041	1225	510	774,90
	15	2398	1168	493,40	---	---	---	---	15	3398	2039	850	950,10
	20	3370	1642	610,90	---	---	---	---	20	4370	2622	1093	1067,60
240	10	1572	764	382,70	---	---	---	---	10	2472	1483	618	945,40
	15	2616	1274	529,20	---	---	---	---	15	4116	2470	1029	1149,80
	20	3677	1791	656,10	---	---	---	---	20	5177	3106	1294	1276,80
260	10	1703	827	407,10	---	---	---	---	10	2603	1562	651	969,80
	15	2834	1381	563,20	---	---	---	---	15	4334	2600	1084	1184,00
	20	3983	1940	699,80	---	---	---	---	20	5483	3290	1371	1320,60
280	10	1834	891	436,70	---	---	---	---	10	2734	1640	684	999,40
	15	3052	1487	602,10	---	---	---	---	15	4552	2731	1138	1222,70
	20	4290	2090	748,10	---	---	---	---	20	5790	3474	1448	1368,90
300	10	1965	955	459,00	---	---	---	---	10	2865	1719	716	1021,60
	15	3270	1593	633,30	---	---	---	---	15	4770	2862	1193	1253,90
	20	4596	2239	789,00	---	---	---	---	20	6096	3658	1524	1409,40

EN442 output at 20°C room temperature

TEMPO - H030

TEMW.030 LLL TT.101

L	STANDARD				TWIN			
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€
040	10	330	161	118,90	11	448	215	194,00
	15	544	267	140,40	16	592	281	228,30
	20	762	373	163,10	21	779	368	242,40
050	10	413	202	128,80	11	561	269	209,70
	15	680	333	153,70	16	740	352	249,70
	20	953	467	179,60	21	974	460	266,80
060	10	496	242	138,40	11	673	323	223,40
	15	815	399	166,60	16	888	422	269,10
	20	1144	561	196,20	21	1169	552	290,70
070	10	578	282	158,70	11	785	376	255,50
	15	951	466	193,00	16	1036	492	312,30
	20	1334	654	229,50	21	1364	644	339,90
080	10	661	323	168,40	11	897	430	271,30
	15	1087	533	207,00	16	1184	563	334,40
	20	1525	747	247,30	21	1558	736	365,80
090	10	743	363	179,00	11	1009	484	286,50
	15	1223	599	221,40	16	1332	633	357,10
	20	1715	841	265,50	21	1753	828	391,90
100	10	826	403	196,80	11	1121	537	314,40
	15	1359	666	243,80	16	1480	703	393,10
	20	1906	934	294,80	21	1948	920	435,20
110	10	909	444	208,10	11	1233	591	331,10
	15	1495	733	261,00	16	1628	774	418,10
	20	2097	1028	314,60	21	2143	1012	463,50
120	10	991	484	217,60	11	1345	645	346,40
	15	1631	799	273,90	16	1776	844	440,20
	20	2287	1121	332,30	21	2338	1105	489,50
140	10	1156	565	245,20	11	1569	752	387,00
	15	1903	933	309,50	16	2072	985	494,00
	20	2668	1308	396,80	21	2727	1288	585,00
160	10	1322	646	284,40	11	1794	860	449,70
	15	2174	1066	364,00	16	2368	1126	582,50
	20	3050	1495	468,30	21	3117	1473	690,80
180	10	1487	726	308,10	11	2018	967	485,60
	15	2446	1199	396,40	16	2664	1266	633,00
	20	3431	1682	508,90	21	3506	1656	750,00
200	10	1652	807	335,00	11	2242	1074	524,50
	15	2718	1332	453,30	16	2960	1407	725,10
	20	3812	1868	553,80	21	3896	1841	813,20
220	10	1817	887	381,20	11	2466	1182	598,30
	15	2990	1465	518,40	16	3256	1548	831,50
	20	4193	2055	636,60	21	4286	2025	936,20
240	10	1982	968	409,60	11	2690	1289	642,00
	15	3262	1599	556,50	16	3552	1688	891,50
	20	4574	2242	684,40	21	4675	2209	1006,40
260	10	2148	1049	435,30	11	2915	1397	681,90
	15	3533	1732	592,30	16	3848	1829	947,80
	20	4956	2429	729,50	21	5065	2393	1071,70
280	10	2313	1130	467,40	11	3139	1504	726,90
	15	3805	1865	633,50	16	4144	1970	1008,90
	20	5337	2616	780,00	21	5454	2577	1142,40
300	10	2478	1210	491,10	11	3363	1612	764,10
	15	4077	1998	666,00	16	4440	2110	1060,60
	20	5718	2802	822,40	21	5844	2761	1204,50

TEMW.030 LLL TT.101/DBE

L	WITH DBE				
	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
11	973	584	243	424,70	
16	1368	821	342	480,10	
21	1649	989	412	501,70	
11	1085	651	271	456,70	
16	1516	910	379	523,20	
21	1844	1106	461	550,80	
11	1197	718	299	472,70	
16	1664	998	416	545,30	
21	2038	1223	510	576,90	
11	1609	965	402	560,10	
16	2292	1375	573	650,00	
21	2713	1628	678	684,60	
11	1721	1033	430	587,80	
16	2440	1464	610	686,00	
21	2908	1745	727	728,10	
11	1833	1100	458	604,60	
16	2588	1553	647	710,80	
21	3103	1862	776	756,30	
11	1945	1167	486	620,00	
16	2736	1642	684	732,90	
21	3298	1979	825	782,50	
11	2169	1301	542	660,60	
16	3032	1819	758	786,90	
21	3687	2212	922	877,80	
11	2994	1796	749	867,80	
16	4288	2573	1072	1039,30	
21	5037	3022	1259	1147,70	
11	3218	1931	805	903,60	
16	4584	2750	1146	1089,90	
21	5426	3256	1357	1206,70	
11	3442	2065	861	942,60	
16	4880	2928	1220	1182,00	
21	5816	3490	1454	1270,00	
11	3666	2200	917	1016,60	
16	5176	3106	1294	1288,30	
21	6206	3724	1552	1392,80	
11	4490	2694	1123	1204,70	
16	6432	3859	1608	1512,10	
21	7555	4533	1889	1627,20	
11	4715	2829	1179	1244,60	
16	6728	4037	1682	1568,50	
21	7945	4767	1986	1692,30	
11	4939	2963	1235	1289,60	
16	7024	4214	1756	1629,30	
21	8334	5000	2084	1763,00	
11	5163	3098	1291	1326,80	
16	7320	4392	1830	1681,20	
21	8724	5234	2181	1825,10	

EN442 output at 20°C room temperature

H040 - TEMPO



TEMW.040 LLL TT.101

TEMW.040 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	385	189	126,80	11	506	243	201,60	---	---	---	---	---
	15	627	309	151,10	16	680	323	239,00	---	---	---	---	---
	20	878	433	174,30	21	910	428	253,70	---	---	---	---	---
050	10	482	236	137,10	11	632	303	217,90	---	---	---	---	---
	15	784	386	164,90	16	850	403	260,90	---	---	---	---	---
	20	1098	541	191,20	21	1137	535	278,40	---	---	---	---	---
060	10	578	284	147,60	11	758	363	232,40	11	1058	635	265	433,70
	15	941	464	178,70	16	1020	484	281,50	16	1500	900	375	492,30
	20	1318	650	208,80	21	1364	641	303,20	21	1844	1106	461	514,10
070	10	674	331	168,80	11	885	424	265,50	11	1185	711	296	466,90
	15	1098	541	206,00	16	1190	564	325,50	16	1670	1002	418	536,30
	20	1537	758	243,10	21	1592	749	353,40	21	2072	1243	518	564,30
080	10	770	378	179,10	11	1011	485	281,90	11	1311	787	328	483,10
	15	1254	618	220,50	16	1360	645	348,10	16	1840	1104	460	559,00
	20	1757	866	261,10	21	1819	855	379,80	21	2299	1379	575	590,70
090	10	867	425	190,80	11	1138	546	298,10	11	1738	1043	435	571,60
	15	1411	695	235,80	16	1530	726	371,90	16	2490	1494	623	664,60
	20	1976	974	280,60	21	2047	963	407,00	21	3007	1804	752	699,70
100	10	963	472	209,60	11	1264	606	326,80	11	1864	1118	466	600,30
	15	1568	773	259,40	16	1700	806	408,90	16	2660	1596	665	701,60
	20	2196	1083	310,90	21	2274	1069	451,40	21	3234	1940	809	744,10
110	10	1059	520	221,80	11	1390	666	344,60	11	1990	1194	498	618,20
	15	1725	850	277,60	16	1870	887	434,70	16	2830	1698	708	727,50
	20	2416	1191	331,50	21	2501	1176	480,60	21	3461	2077	865	773,40
120	10	1156	567	231,70	11	1517	727	360,60	11	2117	1270	529	634,00
	15	1882	928	291,00	16	2040	968	457,10	16	3000	1800	750	750,00
	20	2635	1299	349,80	21	2729	1283	507,00	21	3689	2213	922	799,90
140	10	1348	661	262,30	11	1770	849	403,80	11	2370	1422	593	677,30
	15	2195	1082	330,40	16	2380	1129	515,30	16	3340	2004	835	808,00
	20	3074	1516	418,30	21	3184	1497	606,50	21	4144	2486	1036	899,30
160	10	1541	756	303,00	11	2022	969	468,10	11	3222	1933	806	886,20
	15	2509	1237	386,40	16	2720	1290	605,10	16	4640	2784	1160	1061,90
	20	3514	1733	491,30	21	3638	1711	713,70	21	5558	3335	1390	1170,40
180	10	1733	850	328,70	11	2275	1091	505,90	11	3475	2085	869	924,10
	15	2822	1391	420,60	16	3060	1452	657,60	16	4980	2988	1245	1114,60
	20	3953	1949	533,70	21	4093	1925	774,80	21	6013	3608	1503	1231,50
200	10	1926	945	357,90	11	2528	1212	547,20	11	3728	2237	932	965,20
	15	3136	1546	480,10	16	3400	1613	752,10	16	5320	3192	1330	1208,80
	20	4392	2166	581,10	21	4548	2139	840,40	21	6468	3881	1617	1297,10
220	10	2119	1040	405,60	11	2781	1333	622,50	11	3981	2389	995	1040,70
	15	3450	1700	546,50	16	3740	1774	860,00	16	5660	3396	1415	1316,70
	20	4831	2382	665,20	21	5003	2353	964,80	21	6923	4154	1731	1421,50
240	10	2311	1134	436,60	11	3034	1455	668,70	11	4834	2900	1209	1231,40
	15	3763	1855	588,20	16	4080	1935	923,50	16	6960	4176	1740	1544,10
	20	5270	2599	716,40	21	5458	2567	1038,50	21	8338	5003	2085	1658,90
260	10	2504	1229	463,60	11	3286	1576	709,80	11	5086	3052	1272	1272,50
	15	4077	2009	625,30	16	4420	2097	981,10	16	7300	4380	1825	1601,80
	20	5710	2816	763,10	21	5912	2780	1105,20	21	8792	5275	2198	1725,90
280	10	2696	1323	498,10	11	3539	1697	757,30	11	5339	3203	1335	1320,10
	15	4390	2164	668,90	16	4760	2258	1044,50	16	7640	4584	1910	1665,20
	20	6149	3032	816,00	21	6367	2994	1178,30	21	9247	5548	2312	1798,90
300	10	2889	1417	523,20	11	3792	1818	795,80	11	5592	3355	1398	1358,50
	15	4704	2318	702,90	16	5100	2419	1097,90	16	7980	4788	1995	1718,50
	20	6588	3249	859,70	21	6822	3208	1241,80	21	9702	5821	2426	1862,50

EN442 output at 20°C room temperature

H060 - TEMPO



TEMW.060 LLL TT.101

TEMW.060 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	468	232	145,50	11	598	287	220,60	---	---	---	---	---
	15	746	372	170,50	16	834	394	258,50	---	---	---	---	---
	20	1043	520	196,20	21	1153	538	275,70	---	---	---	---	---
050	10	585	290	156,80	11	747	359	237,60	---	---	---	---	---
	15	933	466	185,20	16	1042	492	281,40	---	---	---	---	---
	20	1304	651	213,80	21	1441	672	301,40	---	---	---	---	---
060	10	702	348	169,40	11	896	430	254,40	11	1196	718	299	455,70
	15	1120	559	201,10	16	1250	591	303,80	16	1730	1038	433	514,70
	20	1565	781	233,70	21	1729	806	328,30	21	2209	1325	552	539,20
070	10	819	406	192,40	11	1046	502	289,30	11	1346	808	337	490,60
	15	1306	652	230,50	16	1459	689	349,80	16	1939	1163	485	560,70
	20	1826	911	269,90	21	2017	941	380,20	21	2497	1498	624	591,20
080	10	936	463	203,70	11	1195	574	306,60	11	1495	897	374	508,00
	15	1493	745	245,70	16	1667	788	373,30	16	2147	1288	537	584,20
	20	2086	1041	289,00	21	2306	1076	407,70	21	2786	1672	697	618,60
090	10	1053	521	217,20	11	1345	646	324,60	11	1945	1167	486	598,10
	15	1679	838	262,90	16	1876	886	398,90	16	2836	1702	709	691,70
	20	2347	1171	310,20	21	2594	1210	436,60	21	3554	2132	889	729,20
100	10	1170	579	238,00	11	1494	717	355,50	11	2094	1256	524	628,90
	15	1866	931	288,50	16	2084	985	438,10	16	3044	1826	761	731,00
	20	2608	1301	342,50	21	2882	1344	483,10	21	3842	2305	961	775,90
110	10	1287	637	252,30	11	1643	789	375,30	11	2243	1346	561	648,80
	15	2053	1024	308,80	16	2292	1083	465,90	16	3252	1951	813	758,80
	20	2869	1432	365,20	21	3170	1479	514,30	21	4130	2478	1033	807,20
120	10	1404	695	263,10	11	1793	861	392,00	11	2393	1436	598	665,50
	15	2239	1117	323,10	16	2501	1182	489,20	16	3461	2077	865	782,00
	20	3130	1562	384,20	21	3458	1613	541,70	21	4418	2651	1105	834,50
140	10	1638	811	300,60	11	2092	1004	442,50	11	2692	1615	673	716,00
	15	2612	1303	368,90	16	2918	1379	553,80	16	3878	2327	970	846,50
	20	3651	1822	459,80	21	4035	1882	648,20	21	4995	2997	1249	941,00
160	10	1872	927	344,40	11	2390	1147	509,70	11	3590	2154	898	927,80
	15	2986	1490	427,90	16	3334	1575	646,50	16	5254	3152	1314	1103,30
	20	4173	2082	535,60	21	4611	2151	758,40	21	6531	3919	1633	1215,10
180	10	2106	1043	373,40	11	2689	1291	551,00	11	3889	2333	972	969,10
	15	3359	1676	465,70	16	3751	1772	702,90	16	5671	3403	1418	1159,50
	20	4694	2342	581,80	21	5188	2420	823,20	21	7108	4265	1777	1279,90
200	10	2340	1159	407,70	11	2988	1434	597,30	11	4188	2513	1047	1015,40
	15	3732	1862	530,00	16	4168	1969	802,30	16	6088	3653	1522	1258,80
	20	5216	2603	634,20	21	5764	2688	893,80	21	7684	4610	1921	1350,50
220	10	2574	1275	458,30	11	3287	1578	675,50	11	4487	2692	1122	1093,60
	15	4105	2048	599,40	16	4585	2166	912,90	16	6505	3903	1626	1369,80
	20	5738	2863	721,20	21	6340	2957	1021,00	21	8260	4956	2065	1477,70
240	10	2808	1390	495,30	11	3586	1721	727,70	11	5386	3232	1347	1290,40
	15	4478	2234	646,70	16	5002	2363	982,00	16	7882	4729	1971	1602,50
	20	6259	3123	778,40	21	6917	3226	1100,70	21	9797	5878	2449	1721,40
260	10	3042	1506	525,20	11	3884	1864	771,60	11	5684	3410	1421	1334,30
	15	4852	2421	686,70	16	5418	2560	1042,50	16	8298	4979	2075	1663,00
	20	6781	3383	828,00	21	7493	3495	1170,50	21	10373	6224	2593	1791,00
280	10	3276	1622	564,40	11	4183	2008	823,90	11	5983	3590	1496	1386,50
	15	5225	2607	734,80	16	5835	2757	1110,70	16	8715	5229	2179	1731,30
	20	7302	3643	885,70	21	8070	3764	1248,20	21	10950	6570	2738	1868,90
300	10	3510	1738	592,40	11	4482	2151	865,30	11	6282	3769	1571	1428,20
	15	5598	2793	771,80	16	6252	2954	1166,90	16	9132	5479	2283	1787,40
	20	7824	3904	932,20	21	8646	4033	1314,70	21	11526	6916	2882	1935,30

EN442 output at 20°C room temperature

H090-TEMPO




TEMW.090 LLL TT.101

TEMW.090 LLL TT.101/DBE

L	STANDARD				TWIN				WITH DBE				
	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	€	Type	Watts 75/65	Watts 55/45	Watts 35/30	€
040	10	548	275	171,60	11	703	338	246,90	---	---	---	---	---
	15	848	431	199,30	16	1038	487	287,20	---	---	---	---	---
	20	1183	601	229,40	21	1508	694	308,70	---	---	---	---	---
050	10	685	344	183,90	11	879	423	264,90	---	---	---	---	---
	15	1060	538	215,30	16	1298	609	311,10	---	---	---	---	---
	20	1479	751	248,30	21	1885	868	335,60	---	---	---	---	---
060	10	821	412	199,60	11	1055	507	284,80	11	1355	813	339	486,10
	15	1272	646	234,20	16	1558	732	336,70	16	2038	1223	510	547,60
	20	1774	901	271,10	21	2262	1042	365,50	21	2742	1645	686	576,40
070	10	958	481	225,40	11	1231	592	322,60	11	1531	919	383	524,00
	15	1484	754	266,30	16	1817	853	385,60	16	2297	1378	574	596,30
	20	2070	1051	310,20	21	2639	1215	420,50	21	3119	1871	780	631,20
080	10	1095	550	238,40	11	1406	676	341,40	11	1706	1024	427	542,70
	15	1696	861	283,10	16	2077	975	410,60	16	2557	1534	639	621,40
	20	2366	1202	330,80	21	3016	1389	449,40	21	3496	2098	874	660,30
090	10	1232	619	254,50	11	1582	760	362,10	11	2182	1309	546	635,90
	15	1908	969	303,30	16	2336	1097	439,00	16	3296	1978	824	731,80
	20	2661	1352	354,70	21	3393	1562	481,00	21	4353	2612	1088	773,80
100	10	1369	688	278,40	11	1758	845	396,10	11	2358	1415	590	669,60
	15	2120	1077	331,70	16	2596	1219	481,10	16	3556	2134	889	774,00
	20	2957	1502	390,20	21	3770	1736	530,60	21	4730	2838	1183	823,40
110	10	1506	756	295,80	11	1934	930	419,10	11	2534	1520	634	692,60
	15	2332	1185	355,10	16	2856	1341	512,10	16	3816	2290	954	805,00
	20	3253	1652	415,90	21	4147	1910	564,80	21	5107	3064	1277	857,60
120	10	1643	825	307,90	11	2110	1014	436,80	11	2710	1626	678	710,40
	15	2544	1292	370,50	16	3115	1463	536,70	16	4075	2445	1019	829,50
	20	3548	1802	436,20	21	4524	2083	593,50	21	5484	3290	1371	886,20
140	10	1917	963	355,00	11	2461	1183	497,10	11	3061	1837	765	770,70
	15	2968	1508	427,20	16	3634	1706	611,70	16	4594	2756	1149	904,50
	20	4140	2103	523,10	21	5278	2431	711,40	21	6238	3743	1560	1004,20
160	10	2190	1100	403,00	11	2813	1352	568,60	11	4013	2408	1003	986,70
	15	3392	1723	490,50	16	4154	1950	709,00	16	6074	3644	1519	1165,70
	20	4731	2403	603,50	21	6032	2778	826,00	21	7952	4771	1988	1282,70
180	10	2464	1238	437,70	11	3164	1521	615,50	11	4364	2618	1091	1033,60
	15	3816	1938	533,90	16	4673	2194	770,80	16	6593	3956	1648	1227,50
	20	5323	2704	655,20	21	6786	3125	896,20	21	8706	5224	2177	1353,00
200	10	2738	1375	479,30	11	3516	1690	669,10	11	4716	2830	1179	1087,40
	15	4240	2154	605,60	16	5192	2438	877,40	16	7112	4267	1778	1334,10
	20	5914	3004	714,80	21	7540	3472	974,30	21	9460	5676	2365	1431,00
220	10	3012	1513	534,10	11	3868	1859	751,70	11	5068	3041	1267	1169,70
	15	4664	2369	679,20	16	5711	2681	992,60	16	7631	4579	1908	1449,10
	20	6505	3304	806,30	21	8294	3819	1106,00	21	10214	6128	2554	1562,70
240	10	3286	1650	579,20	11	4219	2028	812,10	11	6019	3611	1505	1374,80
	15	5088	2584	735,60	16	6230	2925	1070,40	16	9110	5466	2278	1691,10
	20	7097	3605	873,50	21	9048	4167	1195,40	21	11928	7157	2982	1816,00
260	10	3559	1788	613,50	11	4571	2197	860,40	11	6371	3823	1593	1423,20
	15	5512	2800	779,80	16	6750	3169	1135,40	16	9630	5778	2408	1756,00
	20	7688	3905	927,50	21	9802	4514	1269,60	21	12682	7609	3171	1890,20
280	10	3833	1925	659,80	11	4922	2366	919,60	11	6722	4033	1681	1482,40
	15	5936	3015	835,30	16	7269	3413	1210,70	16	10149	6089	2537	1831,20
	20	8280	4206	992,10	21	10556	4861	1354,50	21	13436	8062	3359	1975,10
300	10	4107	2063	692,30	11	5274	2535	965,50	11	7074	4244	1769	1528,10
	15	6360	3231	876,50	16	7788	3657	1271,00	16	10668	6401	2667	1891,70
	20	8871	4506	1043,10	21	11310	5208	1425,20	21	14190	8514	3548	2045,80

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.
Replaces all existing price lists.