

jaga



Energy
SAVERS
LOW-H₂O
STRADA

€ 2016-2017.EX



Energy
SAVERS
LOW-H₂O

STRADA

Warm power,
cutting-edge design

- Discreet slim-line design with flat front panel and stylish aluminium grille.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- DBE model for super-low water temperatures from 28°C.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



design award
winner

DBE option for high output from compact sizes at super-low temperatures from 28°C.






STRADA



DIMENSIONS (in cm)



DELIVERY

Easy to install by one person. Delivered in a cardboard box, which can also be used as protection on site after installation.

Standard delivery:

- Low-H₂O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- partially pre-mounted casing for connection left or right at low level
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

Delivery with DBE:

- number of DBE unit(s) varies according to the length
- operation, control and power supply 12VDC
- mounting instructions
- packed with the radiator

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
- sandblast grey (001), fine texture metallic lacquer

Other colours: see colour chart.

CONNECTION

Standard connection:

Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. STRW.035 050 06.xxx/**60**

High level valve details: see "Connection sets & Valves".



Optional remote controlled valve:

add to the code of the radiator /00.


Ex. STRW.035 050 06.xxx/**00**

For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



For Strada type 06, use set 25

set 225

CODE 2-PIPE

€



COLO.SW2.JC.4...

64,80



COLO.SW2.JW.4...

55,30

fill in sleeve coupling code

Precision metal tube 14/1 **114**

Precision metal tube 15/1 **115**

Precision metal tube 16/1 **116**

RPE/ALU tube 16/2 **616**

Other connections:

See chapter "Connection sets and valves" for all connection options and technical information.



ORDERING CODE

code	height	length	type	colour
STRW . 020	050	10 .	XXX	
fill in colour code ↓				

ORDERING CODE WITH DBE


code	height	length	type	colour	Option
STRW . 020	060	06 .	XXX		/DBE
fill in colour code ↓					

DBE should be selected according to the power in comfort mode, as stated in the price and output table. The transition between standby (inactive) and comfort is managed automatically depending on the measured temperature and settings. For boost mode: see www.theradiatorfactory.com



TOWEL RAIL

in chrome-plated aluminium



CODE	L	€
5501.001	56	198,70
5501.002	66	198,70

H020 - STRADA



STRW.020 LLL TT.XXX

STRW.020 LLL TT.XXX/DBE

L	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
050	---	---	---	---	---	06	269	131	168,70	215,60
	10	328	159	151,80	203,00	---	---	---	---	---
	15	545	265	180,30	236,10	---	---	---	---	---
	20	766	373	207,70	268,50	---	---	---	---	---
060	---	---	---	---	---	06	323	157	180,60	231,30
	10	393	191	163,60	218,80	---	---	---	---	---
	15	654	319	193,70	252,80	---	---	---	---	---
	20	919	448	225,10	289,60	---	---	---	---	---
070	---	---	---	---	---	06	377	183	200,10	252,90
	10	459	223	183,00	241,60	---	---	---	---	---
	15	763	372	219,00	282,00	---	---	---	---	---
	20	1072	522	260,10	330,50	---	---	---	---	---
080	---	---	---	---	---	06	430	209	212,50	268,60
	10	524	255	194,70	256,40	---	---	---	---	---
	15	872	425	237,50	306,00	---	---	---	---	---
	20	1226	597	281,40	356,70	---	---	---	---	---
090	---	---	---	---	---	06	484	236	222,90	281,40
	10	590	287	204,80	269,40	---	---	---	---	---
	15	981	478	252,30	324,60	---	---	---	---	---
	20	1379	672	299,30	378,50	---	---	---	---	---
100	---	---	---	---	---	06	538	262	239,50	299,90
	10	655	318	221,90	289,30	---	---	---	---	---
	15	1090	531	274,40	349,50	---	---	---	---	---
	20	1532	746	329,10	412,80	---	---	---	---	---
110	---	---	---	---	---	06	592	288	252,30	316,10
	10	721	350	233,70	305,10	---	---	---	---	---
	15	1199	584	290,10	369,00	---	---	---	---	---
	20	1685	821	350,40	439,20	---	---	---	---	---
120	---	---	---	---	---	06	646	314	268,40	337,80
	10	786	382	252,00	331,00	---	---	---	---	---
	15	1308	637	314,00	402,20	---	---	---	---	---
	20	1838	895	383,50	485,50	---	---	---	---	---
140	---	---	---	---	---	06	753	366	291,10	363,90
	10	917	446	274,40	357,80	---	---	---	---	---
	15	1526	743	343,60	436,00	---	---	---	---	---
	20	2145	1045	440,70	546,20	---	---	---	---	---
160	---	---	---	---	---	06	861	419	342,70	428,40
	10	1048	509	324,90	423,00	---	---	---	---	---
	15	1744	850	410,80	519,90	---	---	---	---	---
	20	2451	1194	525,20	649,40	---	---	---	---	---
180	---	---	---	---	---	06	968	471	368,70	460,60
	10	1179	573	352,20	458,70	---	---	---	---	---
	15	1962	956	447,60	566,60	---	---	---	---	---
	20	2758	1343	569,70	703,80	---	---	---	---	---
200	---	---	---	---	---	06	1076	524	400,80	503,60
	10	1310	637	383,40	501,10	---	---	---	---	---
	15	2180	1062	511,80	644,80	---	---	---	---	---
	20	3064	1493	621,40	770,10	---	---	---	---	---
240	---	---	---	---	---	06	1291	628	502,10	634,00
	10	1572	764	482,00	631,10	---	---	---	---	---
	15	2616	1274	640,90	808,50	---	---	---	---	---
	20	3677	1791	781,20	968,60	---	---	---	---	---
280	---	---	---	---	---	06	1506	733	563,10	710,60
	10	1834	891	541,60	708,50	---	---	---	---	---
	15	3052	1487	721,40	909,70	---	---	---	---	---
	20	4290	2090	881,60	1091,30	---	---	---	---	---

Type	WITH DBE				
	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
---	---	---	---	---	---
10	543	326	136	355,00	410,30
15	904	542	226	394,60	453,60
20	1169	701	292	426,20	490,60
---	---	---	---	---	---
10	609	365	152	374,30	432,80
15	1013	608	253	420,10	483,00
20	1322	793	331	461,10	531,40
---	---	---	---	---	---
10	674	404	169	386,10	447,80
15	1122	673	281	438,40	506,90
20	1476	886	369	482,20	557,60
---	---	---	---	---	---
10	890	534	223	468,30	533,00
15	1481	889	370	535,20	607,30
20	1879	1127	470	582,20	661,30
---	---	---	---	---	---
10	955	573	239	485,30	552,80
15	1590	954	398	557,20	632,40
20	2032	1219	508	611,90	695,60
---	---	---	---	---	---
10	1021	613	255	497,20	568,60
15	1699	1019	425	572,90	651,90
20	2185	1311	546	633,30	722,10
---	---	---	---	---	---
10	1086	652	272	515,50	594,40
15	1808	1085	452	596,70	685,00
20	2338	1403	585	666,20	768,30
---	---	---	---	---	---
10	1217	730	304	537,80	621,40
15	2026	1216	507	626,50	718,60
20	2645	1587	661	723,50	829,00
---	---	---	---	---	---
10	1648	989	412	732,90	831,10
15	2744	1646	686	857,60	966,60
20	3451	2071	863	971,90	1096,20
---	---	---	---	---	---
10	1779	1067	445	760,30	866,90
15	2962	1777	741	894,30	1013,20
20	3758	2255	940	1016,60	1150,50
---	---	---	---	---	---
10	1910	1146	478	791,40	909,20
15	3180	1908	795	958,40	1091,50
20	4064	2438	1016	1068,20	1216,90
---	---	---	---	---	---
10	2472	1483	618	1034,50	1183,70
15	4116	2470	1029	1251,40	1419,00
20	5177	3106	1294	1391,80	1579,20
---	---	---	---	---	---
10	2734	1640	684	1094,30	1261,40
15	4552	2731	1138	1331,80	1520,20
20	5790	3474	1448	1492,10	1701,90

EN442 output at 20°C room temperature

H095 - STRADA




STRW.095 LLL TT.XXX

STRW.095 LLL TT.XXX/DBE

L	STANDARD					TWIN					WITH DBE					
	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	€ st. colour	€ other	Type	Watts 75/65	Watts 55/45	Watts 35/30	€ st. colour	€ other
050	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
060	---	---	---	---	---	06	736	378	276,20	359,10	06	871	523	218	462,20	545,10
	10	836	421	226,50	316,20	11	1078	518	316,10	405,70	11	1378	827	345	507,30	597,10
	15	1288	656	267,50	364,80	16	1606	753	374,60	471,90	16	2086	1252	522	575,50	672,70
	20	1795	915	303,90	407,20	21	2352	1081	404,10	507,40	21	2832	1699	708	605,10	708,30
070	---	---	---	---	---	06	858	440	305,60	393,30	06	993	596	248	491,50	579,30
	10	975	491	249,70	345,70	11	1257	604	351,20	447,20	11	1557	934	389	542,50	638,40
	15	1502	765	296,70	400,90	16	1874	879	420,50	524,70	16	2354	1412	589	621,50	725,60
	20	2094	1067	342,60	454,90	21	2744	1261	458,70	571,00	21	3224	1934	806	659,60	771,80
080	---	---	---	---	---	06	981	503	326,30	421,40	06	1116	670	279	512,30	607,40
	10	1114	561	267,20	370,30	11	1437	691	374,90	478,00	11	1737	1042	434	566,30	669,30
	15	1717	875	321,10	434,50	16	2142	1005	453,00	566,50	16	2622	1573	656	653,90	767,40
	20	2394	1220	369,80	491,00	21	3136	1441	494,00	615,30	21	3616	2170	904	695,00	816,20
090	---	---	---	---	---	06	1103	566	343,90	444,80	06	1373	824	343	596,90	698,00
	10	1254	631	282,50	391,90	11	1616	777	394,40	503,70	11	2216	1330	554	657,90	767,20
	15	1931	984	340,90	461,50	16	2409	1130	481,20	601,90	16	3369	2021	842	764,00	884,60
	20	2693	1372	392,80	521,10	21	3528	1621	524,80	653,10	21	4488	2693	1122	807,60	935,90
100	---	---	---	---	---	06	1226	629	371,10	478,40	06	1496	898	374	624,30	731,60
	10	1393	701	305,60	422,30	11	1796	863	427,70	544,40	11	2396	1438	599	691,20	808,00
	15	2146	1093	369,00	497,10	16	2677	1256	522,90	651,00	16	3637	2182	909	805,70	933,80
	20	2992	1524	428,70	566,10	21	3920	1801	574,90	712,10	21	4880	2928	1220	857,70	994,90
110	---	---	---	---	---	06	1349	692	392,50	507,20	06	1619	971	405	645,60	760,30
	10	1532	771	323,50	448,00	11	1976	950	451,20	575,70	11	2576	1546	644	714,50	839,20
	15	2361	1203	390,70	526,50	16	2945	1381	552,20	688,00	16	3905	2343	976	835,00	970,80
	20	3291	1677	455,90	602,30	21	4312	1982	610,70	757,10	21	5272	3163	1318	893,40	1039,80
120	---	---	---	---	---	06	1471	754	415,90	539,30	06	1741	1045	435	669,10	792,50
	10	1672	842	346,20	481,20	11	2155	1036	479,40	614,70	11	2755	1653	689	743,00	878,20
	15	2575	1312	419,00	567,10	16	3212	1507	589,60	737,70	16	4172	2503	1043	872,40	1020,50
	20	3590	1829	493,40	656,10	21	4704	2162	656,50	819,00	21	5664	3398	1416	939,00	1101,80
140	---	---	---	---	---	06	1716	880	462,20	596,80	06	1986	1192	497	715,40	850,00
	10	1950	982	386,50	534,00	11	2514	1208	535,20	682,70	11	3114	1868	779	798,60	946,10
	15	3004	1531	469,70	629,70	16	3748	1758	661,10	821,00	16	4708	2825	1177	943,90	1103,80
	20	4189	2134	573,50	747,60	21	5488	2522	770,40	944,50	21	6448	3869	1612	1053,30	1227,40

EN442 output at 20°C room temperature



Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st August 2016.
Replaces all existing price lists.