



jaga



Eyecatchers

PANEL PLUS HORIZONTAL € 2015.EX



Eyecatchers
* From design to art *


PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 250.
Freestanding version: see p. 200.

PANEL PLUS HORIZONTAL sandblast grey 001









PANEL PLUS HORIZONTAL



PANEL PLUS HORIZONTAL

DIMENSIONS (in cm)

- standard connection
- variant



Vertical version: see p. 250.
Freestanding version: see p. 200.

DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
 - one-sided: code 32 or 67 instead of 18
 - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.

CONNECTION SETS

Example showing connection set to the wall

Jaga Deco double angled

TRV head and sleeve couplings included.



set 35	To the wall	€
	CODE.JH2.DC.1...	151,10

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information

PANEL PLUS HORIZONTAL

code height length type colour conn.
PPHW . 018 100 11 . XXX /18 /GR
 fill in colour code _____

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 018				
060	---	---	---	---
080	---	---	---	---
100	11 389	206 278,70	334,40	22 626 314 521,30 625,60
120	11 466	246 307,30	369,00	22 751 377 571,70 686,20
140	11 544	288 337,10	404,50	22 876 440 623,30 747,80
160	11 622	329 367,90	441,60	22 1001 503 676,50 811,90
180	11 699	369 397,50	477,10	22 1126 565 726,90 872,30
200	11 777	411 426,10	511,40	22 1252 629 776,40 931,70
220	11 855	452 455,90	547,10	22 1377 691 827,70 993,30
240	11 932	493 484,60	581,30	22 1502 754 877,30 1052,50
260	11 1010	534 515,20	618,30	22 1627 817 930,70 1117,00
280	11 1088	575 544,00	652,80	22 1752 880 980,40 1176,50
300	11 1166	616 573,60	688,50	22 1877 942 1031,60 1238,00
L H 037				
060	11 380	201 327,00	392,40	22 659 331 639,60 767,40
080	11 507	268 373,80	448,50	22 879 441 725,00 870,00
100	11 633	335 420,30	504,30	22 1098 551 811,20 973,50
120	11 760	402 467,00	560,60	22 1318 662 896,60 1075,90
140	11 887	469 512,70	615,20	22 1538 772 980,90 1177,20
160	11 1013	535 559,40	671,40	22 1757 882 1067,40 1281,00
180	11 1140	603 605,10	726,30	22 1977 993 1151,90 1382,30
200	11 1267	670 651,80	782,10	22 2197 1103 1237,20 1484,70
220	11 1394	737 697,60	837,20	22 2416 1213 1321,50 1585,90
240	11 1520	803 744,00	892,80	22 2636 1323 1406,90 1688,20
260	11 1647	871 790,10	948,30	22 2856 1434 1491,70 1790,10
280	11 1774	938 835,70	1002,90	22 3075 1544 1575,10 1890,30
300	11 1900	1004 881,40	1057,70	22 3295 1654 1659,40 1991,30

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 024				
060	11 285	151 244,90	293,80	22 477 239 471,70 566,00
080	11 380	201 279,30	335,10	22 636 319 532,40 638,80
100	11 475	251 313,60	376,40	22 794 399 593,00 711,70
120	11 570	301 345,20	414,30	22 953 478 648,30 778,10
140	11 665	352 376,70	452,10	22 1112 558 703,40 844,10
160	11 760	402 410,30	492,60	22 1271 638 762,40 914,90
180	11 855	452 441,90	530,50	22 1430 718 817,60 981,10
200	11 950	502 473,30	567,90	22 1589 798 872,70 1047,10
220	11 1045	552 504,90	606,00	22 1748 878 927,90 1113,40
240	11 1140	603 537,50	644,80	22 1907 957 985,00 1181,90
260	11 1235	653 569,00	682,90	22 2065 1037 1041,10 1249,40
280	11 1330	703 600,60	720,80	22 2224 1117 1096,30 1315,80
300	11 1425	753 632,30	758,80	22 2383 1196 1150,60 1380,80
L H 043				
060	11 425	225 367,70	441,20	22 742 373 721,70 866,00
080	11 566	299 421,10	505,30	22 989 497 821,10 985,30
100	11 708	374 473,10	567,60	22 1236 621 919,70 1103,70
120	11 849	449 527,40	633,00	22 1483 745 1020,40 1224,60
140	11 991	524 580,50	696,70	22 1730 869 1119,90 1344,00
160	11 1132	598 634,10	760,90	22 1978 993 1219,50 1463,50
180	11 1274	673 688,20	825,90	22 2225 1117 1320,90 1585,20
200	11 1415	748 741,30	889,60	22 2472 1241 1419,40 1703,20
220	11 1557	823 793,90	952,80	22 2719 1365 1518,00 1821,60
240	11 1698	898 848,00	1017,50	22 2966 1489 1619,40 1943,20
260	11 1840	973 901,30	1081,60	22 3214 1614 1718,10 2061,90
280	11 1981	1047 955,60	1146,90	22 3461 1738 1819,70 2183,70
300	11 2123	1122 1010,00	1212,00	22 3708 1862 1921,00 2305,40

Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L H 031				
060	11 334	177 285,60	342,60	22 571 287 553,70 664,40
080	11 445	235 326,60	391,90	22 761 382 628,60 754,30
100	11 556	294 366,30	439,60	22 951 477 701,60 842,00
120	11 668	353 402,80	483,30	22 1142 573 766,50 919,80
140	11 779	412 445,60	534,80	22 1332 669 844,10 1012,90
160	11 890	470 483,80	580,80	22 1522 764 912,70 1095,40
180	11 1001	529 523,00	627,70	22 1713 860 983,90 1180,70
200	11 1113	588 562,10	674,50	22 1903 955 1053,90 1264,70
220	11 1224	647 600,30	720,40	22 2093 1051 1123,50 1348,10
240	11 1335	706 640,10	768,10	22 2283 1146 1194,70 1433,50
260	11 1446	764 680,50	816,60	22 2474 1242 1267,80 1521,30
280	11 1558	824 721,60	866,00	22 2664 1337 1342,70 1611,30
300	11 1669	882 762,40	915,00	22 2854 1433 1415,70 1698,90
L H 050				
060	11 468	247 409,20	490,90	22 819 411 806,60 967,90
080	11 624	330 469,10	563,00	22 1092 548 919,50 1103,30
100	11 780	412 527,90	633,60	22 1365 685 1030,20 1236,20
120	11 936	495 588,80	706,80	22 1638 822 1144,90 1374,00
140	11 1091	577 648,60	778,40	22 1911 959 1258,50 1510,30
160	11 1247	659 709,80	851,90	22 2185 1097 1373,30 1648,00
180	11 1403	742 769,50	923,60	22 2458 1234 1486,20 1783,50
200	11 1559	824 830,20	996,20	22 2731 1371 1601,70 1922,00
220	11 1715	907 890,10	1068,10	22 3004 1508 1714,20 2057,20
240	11 1871	989 951,90	1142,20	22 3277 1645 1830,90 2197,00
260	11 2027	1071 1012,80	1215,60	22 3550 1782 1945,70 2334,90
280	11 2183	1154 1072,90	1287,50	22 3823 1919 2058,40 2470,10
300	11 2339	1236 1132,60	1359,20	22 4096 2056 2171,20 2605,50

EN442 output at 20°C room temperature

PANEL PLUS HORIZONTAL




	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L	H 056				
060	11	510	270	449,70	539,70
	22	892	448	889,80	1067,60
080	11	680	359	516,40	619,70
	22	1190	597	1015,80	1218,80
100	11	850	449	580,80	696,90
	22	1487	747	1138,70	1366,50
120	11	1020	539	649,20	779,20
	22	1784	896	1269,70	1523,80
140	11	1190	629	716,60	860,00
	22	2082	1045	1396,40	1675,70
160	11	1360	719	784,40	941,20
	22	2379	1194	1525,40	1830,60
180	11	1530	809	851,40	1021,90
	22	2676	1343	1654,10	1985,00
200	11	1700	899	919,90	1104,00
	22	2974	1493	1784,00	2140,70
220	11	1870	988	987,40	1184,80
	22	3271	1642	1912,60	2295,10
240	11	2040	1078	1054,80	1265,80
	22	3569	1792	2040,40	2448,40
260	11	2210	1168	1122,30	1346,80
	22	3866	1941	2169,40	2603,30
280	11	2380	1258	1188,80	1426,70
	22	4163	2090	2295,50	2754,70
300	11	2549	1347	1256,10	1507,40
	22	4461	2240	2423,30	2908,00

	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L	H 069				
060	11	592	313	524,30	629,20
	22	1025	515	1041,70	1250,00
080	11	789	417	598,40	718,10
	22	1367	686	1183,90	1420,70
100	11	986	521	674,40	809,30
	22	1709	858	1328,70	1594,30
120	11	1183	625	752,20	902,80
	22	2051	1030	1479,10	1775,10
140	11	1381	730	830,90	997,10
	22	2392	1201	1630,40	1956,60
160	11	1578	834	910,70	1092,90
	22	2734	1373	1784,20	2141,20
180	11	1775	938	989,50	1187,40
	22	3076	1544	1935,60	2322,70
200	11	1972	1042	1069,10	1282,90
	22	3418	1716	2087,90	2505,50
220	11	2169	1146	1148,80	1378,70
	22	3760	1888	2241,20	2689,50
240	11	2367	1251	1227,60	1472,90
	22	4101	2059	2392,60	2871,10
260	11	2564	1355	1307,50	1569,00
	22	4443	2231	2546,10	3055,40
280	11	2761	1459	1385,30	1662,50
	22	4785	2402	2696,80	3236,20
300	11	2958	1563	1465,00	1758,10
	22	5127	2574	2850,00	3420,10

	Type	Watts 75/65	Watts 55/45	£ st. colour	£ other
L	H 081				
060	11	671	355	587,80	705,20
	22	1143	574	1171,20	1405,40
080	11	895	473	668,30	802,00
	22	1524	765	1326,50	1591,60
100	11	1119	591	749,80	899,70
	22	1905	957	1483,40	1780,20
120	11	1342	709	837,10	1004,40
	22	2286	1148	1651,90	1982,40
140	11	1566	827	923,50	1108,20
	22	2667	1340	1819,40	2183,40
160	11	1790	946	1010,70	1213,00
	22	3048	1531	1987,90	2385,40
180	11	2013	1064	1097,30	1316,70
	22	3430	1723	2155,70	2586,80
200	11	2237	1182	1185,30	1422,30
	22	3811	1914	2324,80	2789,90
220	11	2461	1300	1272,60	1527,10
	22	4192	2106	2494,40	2993,30
240	11	2684	1418	1358,80	1630,50
	22	4573	2297	2660,80	3192,80
260	11	2908	1536	1446,20	1735,40
	22	4954	2488	2830,50	3396,60
280	11	3132	1655	1532,50	1839,00
	22	5335	2680	2997,00	3596,60
300	11	3356	1773	1620,80	1945,00
	22	5716	2871	3167,20	3800,80

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see:
www.theradiatorfactory.com



Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1st February 2014.
Replaces all existing price lists.