



jaga



Eyecatchers

IGUANA ARCO & VISIO

€ 2016-2017.EX



Eyecatchers
* From design to art *

IGUANA ARCO & VISIO

A child's drawing of the sun shining.

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISM 1999
DESIGN PLUS
Small Product Award

IGUANA VISIO aluminium 006, optional towel rail






IGUANA ARCO & VISIO

IGUANA ARCO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
29.8	10	10.1	14.1	4.1	8.1
41.0	20	11.1	16.1	5.1	10.1
51.9	30	12.7	17.7	6.7	11.7
62.5	40	12.2	17.2	6.2	11.2
73.3	50	13.7	18.7	7.7	12.7
83.9	60	15.7	20.7	9.7	14.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.






CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	215,80
set 41	CHROME	€
	CODE.PW3.DW.1...	147,90
	CODE.PW3.DC.1...	158,70

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	41-51	202,30
9087.023656	66	62-73-83	202,30
Hat rack			
9087.024550	55	41-51	233,10
9087.024656	66	62-73-83	233,10



OPTION hat rack

Iguana+
COLLECTION
40% more warmth

ARCO

code	height	length	colour	conn.
ARCW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	791	397	471,50	565,70
041	1079	542	615,10	738,20
051	1366	686	760,00	912,00
062	1654	831	904,30	1085,10
073	1941	975	1048,00	1257,60
083	2229	1120	1191,60	1430,10

	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	813	409	489,10	586,80
041	1109	558	639,80	767,80
051	1404	707	789,20	947,10
062	1700	856	939,80	1127,70
073	1995	1004	1090,50	1308,50
083	2291	1153	1240,90	1489,00

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	826	416	500,20	600,20
041	1127	568	655,40	786,60
051	1427	719	809,80	971,80
062	1727	871	963,70	1156,40
073	2028	1022	1118,30	1342,00
083	2328	1174	1273,40	1528,10

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	858	434	528,90	634,60
041	1170	592	693,90	832,80
051	1482	750	859,20	1031,10
062	1794	908	1025,10	1230,20
073	2106	1065	1189,80	1427,60
083	2418	1223	1354,70	1625,70

	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	886	450	557,70	669,30
041	1208	613	733,70	880,40
051	1530	776	909,10	1091,00
062	1852	940	1084,50	1301,40
073	2174	1103	1260,50	1512,60
083	2496	1267	1435,90	1723,10

IGUANA ARCO

ARCO PLUS

code	height	length	colour	conn.
ARPW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	999	496	612,80	735,40
041	1362	676	799,60	959,40
051	1725	856	988,10	1185,70
062	2088	1036	1175,50	1410,60
073	2452	1217	1362,30	1634,60
083	2815	1397	1549,20	1858,90



	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	1046	521	635,90	763,10
041	1427	710	831,70	998,10
051	1807	899	1025,90	1231,00
062	2187	1088	1221,80	1466,10
073	2568	1278	1417,60	1701,20
083	2948	1467	1613,10	1935,70

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	1076	537	650,30	780,40
041	1467	732	852,00	1022,50
051	1858	927	1052,70	1263,40
062	2249	1122	1252,80	1503,40
073	2641	1317	1453,70	1744,50
083	3032	1512	1655,40	1986,50

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	1146	574	687,60	825,10
041	1563	783	902,10	1082,40
051	1980	992	1116,90	1340,20
062	2397	1201	1332,60	1599,00
073	2813	1409	1546,40	1855,80
083	3230	1618	1761,20	2113,30

	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	1210	609	724,90	869,90
041	1650	830	953,90	1144,60
051	2090	1052	1181,80	1418,10
062	2530	1273	1409,80	1691,90
073	2970	1495	1638,60	1966,40
083	3410	1716	1866,70	2240,00


EN442 output at 20°C room temperature



EURO NORM
EN 442

IGUANA VISIO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
51.9	30	10.5	15.5	6.5	11.5
62.5	40	11.0	16.0	6.0	11.0
73.3	50	12.5	17.5	7.5	12.5

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
 - sandblast grey (001), fine texture metallic
- Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL

€



CODE.PW3.PS.1... **215,80**

set 41

CHROME

€



CODE.PW3.DW.1... **147,90**



CODE.PW3.DC.1... **158,70**

fill in sleeve coupling code

Precision metal tube 15/1 **115**

Precision metal tube 16/1 **116**

Precision metal tube 18/1 **118**

RPE/ALU tube 16/2 **316**


RPE/ALU tube 18/2 **318**

Other connections

See chapter "Connection sets and valves" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	51	202,30
9087.023656	66	62-73	202,30
Hat rack			
9087.024550	55	51	233,10
9087.024656	66	62-73	233,10



OPTION hat rack

Iguana+ COLLECTION

40% more warmth

VISIO

code	height	length	colour	conn.
VISW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	719	361	652,40	782,80
062	1007	506	778,80	934,60
073	1294	650	893,70	1072,40
L H 200				
051	751	379	692,20	830,70
062	1051	530	828,60	994,20
073	1352	682	952,40	1142,80
L H 220				
051	780	395	732,30	878,70
062	1092	552	878,10	1053,80
073	1404	710	1010,80	1213,10

IGUANA VISIO


VISIO PLUS

code	height	length	colour	conn.
VIPW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	908	451	848,10	1017,70
062	1271	631	1012,40	1215,00
073	1634	811	1161,80	1394,20
L H 200				
051	978	488	899,90	1079,80
062	1369	683	1076,90	1292,30
073	1760	878	1238,20	1485,80
L H 220				
051	1042	522	952,00	1142,40
062	1459	731	1141,60	1369,80
073	1876	940	1314,10	1576,90

EN442 output at 20°C room temperature





Jaga International
Verbindingslaan z/n
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 16
Fax: +32 (0)11 29 41 60
export@jaga.be

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from 1 August 2016.
Replaces all existing price lists.